



Micro Trace Minerals Laboratory

40+ years of clinical & environmental laboratory diagnostics

Röhrenstrasse 20
91217 Hersbruck
Germany

Phone: +49 (0) 9151/4332
Facsimile: +49 (0) 9151/2306

info@microtraceminerals.com
<https://microtraceminerals.com>



Submission Form: Water- / Soil-Analysis

Requesting Clinic/Doctor:

New Customer or if contact information has changed, please fill out the fields on page 2.

Sender Name: _____

Street: _____ ZIP: _____ City: _____

State: _____ Country: _____

Phone: _____ Fax: _____

E-mail: _____

please fill out if report is to be mailed to the patient (please complete in block capitals)

Order for Water / Soil Test:

Standard Profile Water (Hardness Included) (P8) 22 Elements 111.27 €

Tested Elements:

Aluminum, Antimony, Arsenic-total, Barium, Beryllium, Boron, Cadmium, Calcium, Chromium, Copper, Iron, Lead, Magnesium, Manganese, Mercury, Nickel, Selenium, Silver, Strontium, Thallium, Uranium, Zinc

Short Profile Water (Hardness Included) (P80) 8 Elements 65.45 €

Tested Elements:

Cadmium, Calcium, Copper, Lead, Magnesium, Nickel, Uranium, Zinc

Uranium Profile Water (Uranium) 1 Element 32.73 €

Test material: 5-7ml Water

Reference Ranges: EPA WHO Health Canada (HCA)

Please select reference range option. Otherwise we will use WHO ranges.

Standard Profile Soil (P8) 22 Elements 196.35 €

Test material: 20gr Soil

Tested Elements:

Aluminum, Antimony, Arsenic-total, Barium, Beryllium, Boron, Cadmium, Calcium, Chromium, Copper, Iron, Lead, Magnesium, Manganese, Mercury, Nickel, Selenium, Silver, Strontium, Thallium, Uranium, Zinc

Sample Origin (state where sample was collected): _____

Address of Sampling: _____ Date of Sampling: _____

Additional Elements can be against surcharge tested. Please contact us.

Additional elements requested or Remarks. Please list:

Send Report to: Doctor Sender address both addresses (€ 9,95 surcharge)
Send Report via: Post E-Mail Fax

*** please turn over ***

Water Collection Information

General Information:

The mineral and trace element content of water varies, and is greatly influenced by the environment, geographical location, water treatment and the pipes in which the water flows.

The mineral and bacterial content of City water is less influenced by weather conditions such as prolonged heat or rain than the ground water found in wells and cisterns.

Checking your cistern or city water:

- Turn on your kitchen faucet and let the water run for 10 minutes. After that time, you are drawing water deep from the well or from the city pipes. Open the plastic tube or bottle provided from the laboratory, rinse it three times and then fill. Do not fill totally to the top. Leave about one centimeter space unfilled.
- Use the blue-capped 7ml tube for metal testing only. Do not fill to top. 5ml are sufficient.
- Use the 100ml bottle for microbiological testing.
Cap tube or bottle tightly, complete the Water Information sheet and mail.


Checking your water pipes:

- Old water pipes are a source of metals and bacteria. When water stands over several hours in the pipes, depending on its acidity or alkalinity, it may cause mild corrosion and free metals. Old solder can release toxic metals into your drinking water. Copper may be released from copper pipes.
To see how your drinking water is affected, you must take the water sample first thing in the morning. Open the faucet and rinse the plastic tube or bottle three times, then fill. Do not fill totally to the top. Leave about one centimeter space unfilled. Cap the tube or bottle, complete the Water Information sheet and mail.

Sampling Information:

- We need to have all minerals tested before we can calculate the hardness of your water.
- If you are interested in microbiological water testing, it is best to go to your local laboratory. We can certainly do bacteria testing, but keep in mind that bacteria grows during shipping. Please be reminded that a bacteria-free water sample will remain bacteria free as long as no bacteria is introduced into the container, but if your water contains small amounts of any type of bacteria, the bacteria content will increase during shipping, and especially during hot weather.

New Customer or if contact information has changed, please fill out: Address: _____ Phone: _____ Fax: _____ E-mail: _____	or	Clinic/Doctor Stamp
--	----	----------------------------

Payment via: Credit Card valid thru (MM/YY): _____ Bank transfer done at: _____ 	Invoice to: VISA Mastercard 3-digit code: _____ Payment was made to address: service@microtrace.de	Doctor Card Number: _____ 3-digit code: _____ for € _____	Sender address _____
Pre-Payment or Credit Card is Needed, otherwise samples will be held until payment is received.			

Informed consent for data protection

I consent to my sample being collected by the responsible medical practitioner or alternative therapist, and being transmitted to Micro Trace Minerals GmbH ("MTM") for the purpose of possessing and performing the assay I have requested. Furthermore, I agree that MTM will send my sample material, my name and my date of birth to specialist laboratories in Germany for carrying out the test I have requested and that MTM will be notified of the result. If I wish to send MTM's test result to the responsible physician or alternative practitioner, I agree that he/she will view the test result to provide a diagnosis. I may revoke my consent at any time to the responsible physician or alternative practitioner or to Micro Trace Minerals GmbH. Until my consent is effectively revoked, the processing of my personal data will remain legal.

Details can be found in our privacy policy at: <https://microtraceminerals.com/en/contact/data-protection/laboratory-order>

By signing below, I certify that all information provided is correct.

Date: _____ **Sender Signature:** _____ 
(please do not forget)

